

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, Virginia 22313-1450 www.teplo.gov

ELECTRONIC

05/14/2010

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/577,928	05/01/2006	Klaus Holzapfel	282602US8X PCT	6910
	7590 05/14/201 AK. MCCLELLAND	0 MAIER & NEUSTADT, L.L.P.	EXAMINER	
1940 DUKE STREET			AVERY, JEREMIAH L	
ALEXANDRIA	A, VA 22314		ART UNIT PAPER NUMBER	
			2431	
			NOTIFICATION DATE	DELIVERY MODE

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

Office Action Summary 10/577,928 HOLZAPFEL ET AL. Examiner Art Unit JEREMIAH AVERY 2431

Application No.

Applicant(s)

Office Action Summary	Examiner	Art Unit					
	JEREMIAH AVERY	2431					
The MAILING DATE of this communication app	ears on the cover sheet with the c	orrespondence ad	idress				
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extrasions of time may be available under the provisions of 37 CFR 1.13 det 53X (5) MONTHS from the mailing date of the communication. - A - Failure to reply within the sort overdeed prior for reply will by statute. Any reply received by the Office later than three months after the mailing aemed patent term adjustment. See 37 CFR 1.704(b).	TE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be tin ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this of D (35 U.S.C. § 133).	,				
Status							
1) Responsive to communication(s) filed on 06 Ja	nuary 2010.						
2a)⊠ This action is FINAL. 2b)☐ This	action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) 21,22,25-31,34-41 and 46-52 is/are pe	anding in the application						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s)is/are allowed.							
6)⊠ Claim(s) <u>21,22,25-31,34-41 and 46-52</u> is/are rejected.							
7) Claim(s) is/are objected to.	,00.00.						
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers	·						
9) The specification is objected to by the Examiner		= .					
10) The drawing(s) filed on 01 May 2006 is/are: a)		•					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
ine oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form P	10-152.				
Priority under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	⊢(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:							
 Certified copies of the priority documents have been received. 							
 Certified copies of the priority documents have been received in Application No 							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da 5) Notice of Informal P						
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:	atent Application					

Application/Control Number: 10/577,928 Page 2

Art Unit: 2431

DETAILED ACTION

Claims 23, 24, 32, 33 and 42-45 have been cancelled.

II. Claims 49-52 have been added.

III. Claims 21, 22, 25-31, 34-41 and 46-52 have been examined.

IV. Responses to Applicant's remarks have been given.

Response to Arguments

- The objections to claims 39-41 and 47 are hereby withdrawn due to Applicant's amendments to said claims.
- Further, the 35 U.S.C. 112, second paragraph rejection of claims 21-38, 41-46 and 48 is also hereby withdrawn.
- 3. With regards to the Applicant's arguments pertaining to the newly-added claim language of a "reproduction obstructing cell physically stored before or after a linked content cell", the Examiner maintains that Selinfreund discloses this via, but not limited to, column 3, lines 47-51 and 54-58, "Absent these instructions, a light sensitive material will have been activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material". With the material interfering with the accessing of "adjacent, or nearby, tracks", said tracks being related to content, the disclosed "light sensitive material" provides obstruction to the content stored within the medium.
- 4. Claim 39 pertains to the copying of the program and the subsequent transference of the "copy to a second storage medium". After the program is copied (claim 40), the "light sensitive material" within Selinfreund (acting as an obstruction means) has a state

Art Unit: 2431

change, thus being modified. The copy, not the copying is unobstructed as a result of the manipulation (claimed "modifying") of the "light sensitive material" disclosed by Selinfreund.

 The "tracks" and "sectors" within Selinfreund provide the necessary means to direct access to the desired locations of the storage medium; hence permitting successful navigation to particular content.

Claim Objections

6. Claim 40 is objected to because of the following informality: it is unclear as to whether the language of "modifying or removing the cells" pertains to the claimed "reproduction obstructing cells" or the "linked content cells". Appropriate correction is required.

Claim Rejections - 35 USC § 102

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filled in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filled in the United States before the invention by the applicant for patent, except that an international application filled under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filled in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 21, 22, 25-31, 34-41 and 46-52 are rejected under 35 U.S.C. 102(e) as being anticipated by United States Patent No. 7,486,790 to Selinfreund et al., hereinafter Selinfreund.

7. Regarding claims 21 and 30, Selinfreund discloses a storage medium having stored thereon data representing at least one stream of content cells and a method to provide copy protection of a storage medium having stored thereon data representing at least one stream of content cells, the content cells being linked in accordance with

Art Unit: 2431

navigation data, wherein at least one of said navigation data and the at least one stream of content cells is arranged such that accessing the data on the storage medium in a copy mode, which does not take consideration of said navigation data, provides disturbed data access of reduced quality (column 3, lines 47-51 and 54-58, "Absent these instructions, a light sensitive material will have been activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material", column 5, lines 26-31, column 9, lines 41-47 and column 14, lines 6-16),

[The claimed "navigation data" is interpreted by the Examiner to pertain to the "tracks" and "sectors" within Selinfreund. Further, the Examiner is interpreting the claimed "disturbed data access" and "undisturbed access" to pertain to the type of access restrictions set forth within Selinfreund (e.g. being able to "read a specific track" and then have access to an "adjacent track" would pertain to the "undisturbed access" and the interference disclosed within Selinfreund would pertain to "disturbed data access" since "the first track" may be read but the "adjacent, or nearby, tracks" will not be read due to the particular "light sensitive material" being utilized to hinder such reading.)]

whereas accessing the data on the storage medium in a <u>reproduction</u> mode in consideration of said navigation data provides undisturbed access (column 3, lines 51-54, "instructions provided to authorized users of a software program may instruct an installation program to read a specific track and then wait a specified time to access an

Art Unit: 2431

adjacent track", column 10, lines 45-52 and column 13, lines 11-18, "read data unaffected by the material 21 from track a"),

the storage medium having further stored thereon at least one reproduction obstructing cell physically stored before or after a linked content cell, said at least one reproduction obstructing cell being arranged such that access in said reproduction mode includes navigating around at least one reproduction obstructing cell when linked content cells are accessed, whereas access in said copy mode includes accessing linked content cells in addition to said at least one reproduction obstructing cell (column 5, lines 39-50 and 56-64, column 8, lines 56-67, column 9, lines 1-12 and 41-47 and column 10, lines 15-44).

- Regarding claims 22 and 31, Selinfreund discloses wherein the <u>copy</u> mode is a generally linear access mode (column 10, lines 15-20, "read the sectors 20a-20f in that order").
- 9. Regarding claims 25 and 34, Selinfreund discloses wherein an access of said at least one <u>reproduction</u> obstructing cell prohibits or disturbs a further reproduction or reduces an entertainment value of reproduced content that is originally stored within the content cells on the <u>storage medium</u> (column 3, lines 10-14, "A data file, for example a movie or audio file, may then be downloaded from a network to the computer in a form that is unplayable in the absence of the code provided by the light sensitive material on the medium", column 13, lines 53-63 and column 14, lines 10-16, "If the disk is copied, for example, by bit-to-bit copying, the light sensitive materials 21 may not be copied,

Art Unit: 2431

and thus the copied version of the data is uninstallable, unreadable or otherwise unusable").

- 10. Regarding claims 26 and 35, Selinfreund discloses wherein said at least one reproduction obstructing cell includes data having an effect that data stored on the storage medium does not conform with the DVD physical specification by at least one of the group comprising: infringing rules of EFM+ coding; setting incorrect ECC data for at least one of PI and PO; setting at least one of incorrect EDC, ID, CPR_MAI and IED data; addition of illegal UDF file system data; setting of illegal UDF file system data (column 3, lines 60-63, "Areas of light sensitive material may be large enough to defeat sophisticated error correction programs, such as EFM" and column 13, lines 36-45).
- 11. Regarding claims 27 and 36, Selinfreund discloses wherein said at least one reproduction obstructing cell includes data of at least one of the group comprising: data that does not conform to a streaming media standard appropriate to the storage medium; data that generates permutations of reproduced content stored within the content cells; data that adds content unrelated to the content stored within neighboring content cells; data that adds advertising content stored within neighboring content cells (column 5, lines 26-31, "output a string of '0's rather than output actual data positioned on the CD below the material" and column 10, lines 5-14).
- 12. Regarding claims 28 and 38, Selinfreund discloses wherein said at least one reproduction obstructing cell is a stream of linked reproduction obstructing cells that is interleaved with at least one stream of content cells, wherein each of the stream linked cells provides one playback path, and the playback path corresponding to the linked

Art Unit: 2431

reproduction obstructing cell is not followed by a reproduction device accessing the storage medium in accordance with said reproduction mode (column 2, lines 19-23, "while the material is in one state a data bit '1' may be read, but while the material is in another state a data bit of '0' may be read", column 5, lines 26-31, column 10, lines 33-44 and column 13, lines 4-20).

- 13. Regarding claims 29 and 37, Selinfreund discloses wherein said navigation data includes branch commands that are arranged in <u>at least one of pre-commands</u> and/or post-commands of program chains that include at least one program or in cell commands within programs, which are defined as a sequence of content cells (column 10, lines 15-20, "read the sectors 20a-20f in that order", column 12, lines 24-45 and column 13, lines 4-27).
- 14. Regarding claim 39, Selinfreund teaches a method for producing at least one copy of at least a portion of data stored on a first storage medium, the first storage medium having stored thereon data representing at least one stream of content cells, the method comprising:

<u>linking</u> the content cells in accordance with navigation data, wherein to produce the at least one copy, data representing the at least one stream of cells is accessed in consideration of the navigation data and wherein said accessed data is transferred as a copy to a second storage medium (column 2, lines 64-67, column 3, lines 1 and 2 and column 10, lines 45-65).

 Regarding claim 40, Selinfreund teaches determining all reproduction obstructing cells physically stored before or after a linked content cell and modifying or removing

Art Unit: 2431

the cells such that the copy of the storage medium is not obstructed (column 2, lines 64-67, column 3, lines 1 and 2 and column 10, lines 45-65).

- 16. Regarding claim 41, Selinfreund discloses a computer <u>readable medium storing</u> a program <u>that when executed on a computer or digital signal processor</u>, causes the <u>computer or the digital signal processor</u> to perform the method steps as defined in claim 30 (Figure 1, column 4, lines 4-16, column 5, lines 4-31, "CD-ROMs, Audio CDs, MO disks, and DVDs", column 6, lines 38-67 and column 7, lines 1-15).
- 17. Regarding claim 46, Selinfreund discloses further including standard type file system structures and file content and non-standard type file system structures and file content used to locate the linked content cells on the storage medium, respectively, wherein said non-standard type file system structures and file content routes a read out device to reproduction obstruction data and cyclic data (column 7, lines 34-62, column 9, lines 2-12 and 41-47, column 10, lines 53-65, column 12, lines 32-45 and column 13, lines 4-9).
- 18. Regarding claim 47, Selinfreund teaches further including the step determining of a linking order of the at least one stream of linked content cells and physically storing the at least one stream of linked content cells such that a reproduction of the copy of the first storage medium is not obstructed (column 10, lines 45-65).
- 19. Regarding claim 48, Selinfreund teaches further including the step of locating a root navigation file only using file system structures and/or file content related to the linked content cells as described in the standard of the first storage medium (column 3, lines 54-60, column 4, lines 14-24 and column 5, lines 26-31).

Art Unit: 2431

20. (New) Regarding claim 49, Selinfreund discloses a storage medium having stored thereon data representing at least one stream of content cells, the content cells being linked in accordance with navigation data, wherein at least one of said navigation data and the at least one stream of content cells is arranged such that accessing the data on the data carrier in a copy mode that does not take consideration of said navigation data provides disturbed access of reduced quality (column 3, lines 47-51 and 54-58, "Absent these instructions, a light sensitive material will have been activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material", column 5, lines 26-31, column 9, lines 41-47 and column 14, lines 6-16), whereas accessing the data on the data carrier in a reproduction mode in consideration of the said navigation data provides undisturbed access (column 3, lines 51-54, "instructions provided to authorized users of a software program may instruct an installation program to read a specific track and then wait a specified time to access an adjacent track", column 10, lines 45-52 and column 13, lines 11-18, "read data unaffected by the material 21 from track a"),

the storage medium further including a physical storage arrangement of at least one content cell of the at least one stream of linked content cells that is not in conformity with the linking order of the content cells such that said copy mode will access said at least one stream of linked cells in an order as physically stored, and said reproduction mode will access said at least one stream of linked content cells in an order conforming to the linking order of the content cells (column 5, lines 26-31, "output a string of '0's

Art Unit: 2431

rather than output actual data positioned on the CD below the material", lines 39-50 and 56-64, column 8, lines 56-67, column 9, lines 1-12 and 41-47 and column 10, lines 15-44).

21. (New) Regarding claim 50. Selinfreund discloses a storage medium having stored thereon data representing at least one stream of content cells, the content cells being linked in accordance with navigation data, wherein at least one of said navigation data and the at least one stream of content cells is arranged such that accessing the data on the data carrier in a copy mode that does not take consideration of said navigation data provides disturbed access of reduced quality (column 3. lines 47-51 and 54-58, "Absent these instructions, a light sensitive material will have been activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material", column 5, lines 26-31, column 9, lines 41-47 and column 14, lines 6-16), whereas accessing the data on the data carrier in a reproduction mode in consideration of the said navigation data provides undisturbed access (column 3, lines 51-54, "instructions provided to authorized users of a software program may instruct an installation program to read a specific track and then wait a specified time to access an adjacent track", column 10, lines 45-52 and column 13, lines 11-18, "read data unaffected by the material 21 from track a"). the storage medium further including first file system data structures and file content

conforming to a storage medium standard and second file system data structures and file content not conforming to the storage medium standard, wherein the second file

Art Unit: 2431

system data structures and file content route said copy mode to reproduction obstruction data or cyclic data, and wherein said reproduction mode will navigate around said reproduction obstruction data or cyclic data (column 5, lines 26-31, "output a string of '0's rather than output actual data positioned on the CD below the material", lines 39-50 and 56-64, column 8, lines 56-67, column 9, lines 1-12 and 41-47 and column 10, lines 15-44).

22. (New) Regarding claim 51, Selinfreund teaches a method to provide copy protection of a storage medium having stored thereon data representing at least one stream of content cells, the method comprising:

linking the content cells in accordance with navigation data, wherein at least one of said navigation data and the at least one stream of content cells is arranged such that accessing the data on the storage medium in a copy mode, which does not take consideration of said navigation data, provides disturbed access of reduced quality (column 3, lines 47-51 and 54-58, "Absent these instructions, a light sensitive material will have been activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material", column 5, lines 26-31, column 9, lines 41-47 and column 14, lines 6-16),

whereas accessing the data on the storage medium in a reproduction mode in consideration of said navigation data provides undisturbed access (column 3, lines 51-54, "instructions provided to authorized users of a software program may instruct an installation program to read a specific track and then wait a specified time to access an

Art Unit: 2431

adjacent track", column 10, lines 45-52 and column 13, lines 11-18, "read data unaffected by the material 21 from track a"):

and storing at least one content cell of the at least one stream of linked content cells that is not in conformity with the linking order of the content cells such that said copy mode will access said at least one stream of linked content cells in an order as physically stored, and that reproduction mode will access said at least one stream of linked content cells in an order conforming to the linking order of the content cells (column 5, lines 26-31, "output a string of '0's rather than output actual data positioned on the CD below the material", lines 39-50 and 56-64, column 8, lines 56-67, column 9, lines 1-12 and 41-47 and column 10, lines 15-44).

23. (New) Regarding claim 52, Selinfreund teaches a method to provide copy protection of a storage medium having stored thereon data representing at least one stream of content cells, the method comprising:

linking the content cells in accordance with navigation data, wherein at least one of said navigation data and the at least one stream of content cells is arranged such that accessing the data on the storage medium in a copy mode, which does not take consideration of said navigation data, provides disturbed access of reduced quality (column 3, lines 47-51 and 54-58, "Absent these instructions, a light sensitive material will have been activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material", column 5, lines 26-31, column 9, lines 41-47 and column 14, lines 6-16),

Art Unit: 2431

whereas accessing the data on the storage medium in a reproduction mode in consideration of said navigation data provides undisturbed access (column 3, lines 51-54, "instructions provided to authorized users of a software program may instruct an installation program to read a specific track and then wait a specified time to access an adjacent track", column 10, lines 45-52 and column 13, lines 11-18, "read data unaffected by the material 21 from track a"); and storing first file system data structures and file content conforming to a storage medium standard and second file system data structures and file content not conforming to the storage medium standard, wherein the second file system data structures and file content route said copy mode to reproduction obstruction data or cyclic data, and wherein said reproduction mode will navigate around said reproduction obstruction data or cyclic data (column 5, lines 26-31, "output a string of '0's rather than output actual data positioned on the CD below the material", lines 39-50 and 56-64, column 8, lines 56-67, column 9, lines 1-12 and 41-47 and column 10, lines 15-44).

Conclusion

- 24. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
- 25. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 2431

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

- The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 27. The following United States Patents and Patent Application Publications are cited to further show the state of the art with respect to secure data storage and access, such as:

United States Patent No. 6,341,196 to Ando et al., which is cited to show an information recording method and information reproducing method for compressed video information.

United States Patent Application No. US 2004/0003270 to Bourne et al., which is cited to show obtaining a signed rights label (SRL) for digital content and obtaining a digital license corresponding to the content based on the SRL in a digital rights management system.

United States Patent Application Publication No. US 2004/0187161 to Cao, which is cited to show an auxiliary program association table.

United States Patent No. 6,798,976 to Tsumagari et al., which is cited to show a digital video recording/playback system with entry point processing function.

Art Unit: 2431

United States Patent No. 7,079,754 to Kikuchi et al., which is cited to show a digital video system.

United States Patent No. 7,058,819 to Okaue which is cited to show a data processing system, data processing method, and program providing medium.

- 28. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JEREMIAH AVERY whose telephone number is (571)272-8627. The examiner can normally be reached on Monday thru Friday 8:30am-5pm.
- 29. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Korzuch can be reached on (571) 272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 30. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jeremiah Avery/ Examiner, Art Unit 2431 /William R. Korzuch/ Supervisory Patent Examiner, Art Unit 2431 Application/Control Number: 10/577,928 Page 16

Art Unit: 2431